

MPB INDUSTRIES LTD

Unit 1 Branbridges Industrial Estate, East Peckham, Kent TN12 5HF

Telephone: (01622) 872401 Fax: (01622) 871294

E-mail: mail@mpbflowmeters.com http://www.mpbflowmeters.com

Designers and Manufacturers of Scientific and Process Control Instrumentation

MPB is an ISO 9001:2015 registered company

Calibration Report

MPB Ref: **SO: 000443**

Date: **28/10/19**

Report No: **CR 2299**

Inspected By: **B Pearce**

Customer: **Cantium Scientific Ltd**

Operating Conditions Of Test

Laboratory Conditions of Test. Atmospheric Pressure: 1013 mbar abs

Ambient Temperature: 20°C

Gas/Liquid: **Gas**

Temp: **20°C**

Range of Meter Being Calibrated: **25-250 L/min Air @ 1013 mbar abs 20°C**

Volume Prover TE 069 Used: **No**

Gas Used For This Test: **Air**

Signature: 

Master Meter Reading	Meter Under Test Reading		
	3000S	Batch No. 15874	MAN374/1571
MPB Ref TE059 & TE130	Conversion Factor	Converted Reading	Indicated Reading
L/min			L/min
246			250
196			200
148			150
97			100
27			25
Accuracy +/- 2% FSD			

MPB Industries Ltd is not an ISO/IEC 17025:2017 laboratory,
but all flow readings are traceable to this standard.

The uncertainties are for a confidence probability of not less than 95%